

L Number	Hits	Search Text	DB	Time stamp
1	1	6381669.pn.	USPAT;	2004/05/16 21:20
2	150	trace adj impedance	US-PGPUB	2004/05/16 21:27
3	3146792	@ad<20010126	USPAT;	2004/05/16 21:21
4	1	5301118.pn.	USPAT	2004/05/16 21:20
5	1	5955704.pn.	USPAT	2004/05/16 21:20
6	1	5966312.pn.	USPAT	2004/05/16 21:20
9	2131891	search or searching or number or generate or generating or map or mapping	USPAT	2004/05/16 21:21
10	3146792	@ad<20010126	USPAT	2004/05/16 21:21
11	12466	(random or pseudo-random or quasi-random or (monte adj carlo) or montecarlo or quasi-monte or quasi-monte-carlo or MC or QMC ) adj (search or searching or number or generate or generating or map or mapping)	USPAT	2004/05/16 21:21
12	1738	pseudo-random adj number	USPAT	2004/05/16 21:21
13	1124	(pseudo-random adj number) near1 generat\$	USPAT	2004/05/16 21:21
14	4976	random adj number adj generator	USPAT	2004/05/16 21:21
15	838	pseudo-random adj number adj generator	USPAT	2004/05/16 21:21
16	131907	map or mapping	USPAT	2004/05/16 21:21
17	8	(pseudo-random adj number adj generator) with (map or mapping)	USPAT	2004/05/16 21:21
19	18	quasi-monte adj carlo	USPAT	2004/05/16 21:21
20	16	@ad<20010126 and (quasi-monte adj carlo)	USPAT	2004/05/16 21:21
21	9	(quasi-monte adj carlo) and map\$	USPAT	2004/05/16 21:21
22	4	(quasi-monte adj carlo) same map\$	USPAT	2004/05/16 21:21
7	3	5301118.pn. or 5955704.pn. or 5966312.pn.	USPAT	2004/05/16 21:21
8	294521	random or pseudo-random or quasi-random or (monte adj carlo) or montecarlo or quasi-monte or quasi-monte-carlo or MC or QMC	USPAT	2004/05/16 21:22
18	7	@ad<20010126 and ((pseudo-random adj number adj generator) with (map or mapping))	USPAT	2004/05/16 21:22
23	8	@ad<20010126 and ((quasi-monte adj carlo) and map\$)	USPAT;	2004/05/16 21:22
24	3146792	@ad<20010126	US-PGPUB	2004/05/16 21:22
25	150	trace adj impedance	USPAT;	2004/05/16 21:28
26	5	(trace adj impedance ) and quasi\$	US-PGPUB	2004/05/16 21:28
28	3	@ad<20010126 and ((trace adj impedance ) and quasi\$)	USPAT;	2004/05/16 21:29
29	27	(trace adj impedance ) and random	US-PGPUB	2004/05/16 21:29
30	10	@ad<20010126 and ((trace adj impedance ) and random)	USPAT;	2004/05/16 22:05
31	3	("6058377" or "6381669" or "6539531").pn.	US-PGPUB	2004/05/16 22:13
32	915	705/36.ccls.	USPAT;	2004/05/16 22:13
33	876	711/5.ccls.	US-PGPUB	2004/05/16 22:13
34	135	716/15.ccls.	USPAT;	2004/05/16 22:14
35	1042	703/2.ccls.	US-PGPUB	2004/05/16 22:14
36	504	703/6.ccls.	USPAT;	2004/05/16 22:14
37	876	711/5.ccls.	US-PGPUB	2004/05/16 22:14
38	3376	705/36.ccls. or 711/5.ccls. or 716/15.ccls. or 703/2.ccls. or 703/6.ccls. or 711/5.ccls.	USPAT;	2004/05/16 22:15
39	2047	@ad<20010126 and (705/36.ccls. or 711/5.ccls. or 716/15.ccls. or 703/2.ccls. or 703/6.ccls. or 711/5.ccls.)	US-PGPUB	2004/05/16 22:15

40	110	((@ad<20010126 and (705/36.ccls. or 711/5.ccls. or 716/15.ccls. or 703/2.ccls. or 703/6.ccls. or 711/5.ccls.)) and ((random or pseudo-random or quasi-random or (monte adj carlo) or montecarlo or quasi-monte or quasi-monte-carlo or MC or QMC ) adj (search or searching or number or generate or generating or map or mapping)))	USPAT; US-PGPUB	2004/05/16 22:16
41	0	((@ad<20010126 and (705/36.ccls. or 711/5.ccls. or 716/15.ccls. or 703/2.ccls. or 703/6.ccls. or 711/5.ccls.)) and ((random or pseudo-random or quasi-random or (monte adj carlo) or montecarlo or quasi-monte or quasi-monte-carlo or MC or QMC ) adj (search or searching or number or generate or generating or map or mapping))) and (trace adj impedance )	USPAT; US-PGPUB	2004/05/16 22:16
42	110	((@ad<20010126 and (705/36.ccls. or 711/5.ccls. or 716/15.ccls. or 703/2.ccls. or 703/6.ccls. or 711/5.ccls.)) and ((random or pseudo-random or quasi-random or (monte adj carlo) or montecarlo or quasi-monte or quasi-monte-carlo or MC or QMC ) adj (search or searching or number or generate or generating or map or mapping))) and (search or searching or number or generate or generating or map or mapping)	USPAT; US-PGPUB	2004/05/16 22:16

Welcome to IEEE Xplore<sup>®</sup>

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Print Format

Your search matched **7** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

**Results Key:**

**JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard

**1 Periodic sequences with large k-error linear complexity**

*Niederreiter, H.;*

Information Theory, IEEE Transactions on , Volume: 49 , Issue: 2 , Feb. 2003  
Pages:501 - 505

[\[Abstract\]](#)   [\[PDF Full-Text \(312KB\)\]](#)   IEEE JNL

**2 On the expected value of the linear complexity and the k-error linear complexity of periodic sequences**

*Meidl, W.; Niederreiter, H.;*

Information Theory, IEEE Transactions on , Volume: 48 , Issue: 11 , Nov. 2000  
Pages:2817 - 2825

[\[Abstract\]](#)   [\[PDF Full-Text \(417KB\)\]](#)   IEEE JNL

**3 The minimum distance of the duals of binary irreducible cyclic codes**

*Cunsheng Ding; Helleseht, T.; Niederreiter, H.; Chaoping Xing;*

Information Theory, IEEE Transactions on , Volume: 48 , Issue: 10 , Oct. 2000  
Pages:2679 - 2689

[\[Abstract\]](#)   [\[PDF Full-Text \(454KB\)\]](#)   IEEE JNL

**4 Some new codes from algebraic curves**

*Cunsheng Ding; Niederreiter, H.; Chaoping Xing;*

Information Theory, IEEE Transactions on , Volume: 46 , Issue: 7 , Nov. 2000  
Pages:2638 - 2642

[\[Abstract\]](#)   [\[PDF Full-Text \(196KB\)\]](#)   IEEE JNL

**5 A generalization of algebraic-geometry codes**

*Chaoping Xing; Niederreiter, H.; Kwok Yan Lam;*

Information Theory, IEEE Transactions on , Volume: 45 , Issue: 7 , Nov. 1999  
Pages:2498 - 2501

[\[Abstract\]](#)   [\[PDF Full-Text \(132KB\)\]](#)   IEEE JNL

**6 Constructions of algebraic-geometry codes***Chaoping Xing; Niederreiter, H.; Kwok Yan Lam;*

Information Theory, IEEE Transactions on , Volume: 45 , Issue: 4 , May 1999

Pages:1186 - 1193

[\[Abstract\]](#) [\[PDF Full-Text \(236KB\)\]](#) IEEE JNL**7 Some linear and nonlinear methods for pseudorandom number generation***Niederreiter, H.;*

Simulation Conference Proceedings, 1995. Winter , 3-6 Dec. 1995

Pages:250 - 254

[\[Abstract\]](#) [\[PDF Full-Text \(328KB\)\]](#) IEEE CNF

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |  
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved